

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation

TFG10 10L Deep Primer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1.3 Details of the supplier of the safety data sheet

Supplier

BEHA GmbH
Feldstrasse 2a
D-06458 Selke-Aue OT Hausneindorf
Germany
Telephone +49 (0) 39481-8115-0
Fax +49 (0) 39481-8115-2
E-mail: info@beha-web.de
Website: www.beha-web.de

Information-providing department

E-mail (competent person) m.rabe@beha-web.de

1.4 Emergency telephone number

Emergency telephone number: +49 (0) 39481 - 8115-100
Mon-Thu 7:00-16:00, Fri 7:00-15:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The mixture is classified as not hazardous within the meaning of Regulation (EC) No. 1272/2008 [CLP].

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

not applicable

Signal word

not applicable

Hazard statements

not applicable

Precautionary statements

not applicable

Hazard-determining components for labelling

not applicable

Supplemental hazard information

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).
May produce an allergic reaction.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

This product contains no substance with endocrine-disrupting properties for non-target organisms, as no ingredient meets the criteria.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No. 1272/2008 [CLP]	% [mass]
2634-33-5 220-120-9 613-088-00-6	1,2-Benzisothiazol-3(2H)-one 01-2120761540-60 Acute Tox. 4 H302 / Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 / Aquatic Acute 1 H400 / Aquatic Chronic 1 H410 Specific concentration limit (SCL): Skin Sens. 1 H317: >= 0.036	0.025<0.036
55965-84-9 - 613-167-00-5	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 01-2120764691-48 Acute Tox. 3 H301 / Acute Tox. 2 H310 / Skin Corr. 1C H314 / Skin Sens. 1A H317 / Eye Dam. 1 H318 / Acute Tox. 2 H330 / Aquatic Acute 1 H400 (M = 100.00) / Aquatic Chronic 1 H410 (M = 100.00) / EUH071 Specific concentration limit (SCL): Eye Irrit. 2 H319: >= 0.06 / Skin Irrit. 2 H315: >= 0.06 / Skin Sens. 1 H317: >= 0.0015 / Skin Corr. 1B H314: >= 0.60	0.0012

Remark

For the wording of the H and EUH hazard statements, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

If symptoms occur or in case of doubt, seek medical advice. If unconscious but breathing, place the affected person in the recovery position and seek medical advice.

After inhalation

Move the affected person to fresh air and keep warm and at rest. If breathing is irregular or has stopped, start artificial respiration.

After skin contact

Immediately remove contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners. Wash contaminated clothing before reuse.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the casualty is conscious). Seek medical advice immediately. Keep the affected person at rest. Do not induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

If symptoms occur or in case of doubt, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

Basic aid, decontamination, symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide (CO₂), powder, water spray/mist.

Unsuitable extinguishing media

Strong water jet.

5.2 Special hazards arising from the substance or mixture

Fire produces dense black smoke. Inhalation of hazardous decomposition products can cause serious damage to health.

Hazardous combustion products

Hazardous combustion products: carbon dioxide (CO₂), carbon monoxide, smoke, nitrogen oxides (NO_x).

5.3 Advice for firefighters

Keep respiratory protective equipment ready. Cool closed containers in the vicinity of the fire with water. Do not allow extinguishing water to enter drains, soil or bodies of water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate the affected area. Do not inhale vapours.

6.2 Environmental precautions

Do not allow to enter drains or bodies of water. If rivers, lakes or wastewater systems are contaminated, inform the competent authorities in accordance with local laws.

6.3 Methods and material for containment and cleaning up

For containment

Contain spilled material with non-combustible absorbent material (e.g. sand, earth, vermiculite, diatomaceous earth) and collect in the containers provided for disposal according to local regulations (see Section 13).

For cleaning

Clean up afterwards with cleaning agents; do not use solvents.

6.4 Reference to other sections

Safe handling: see Section 7

Personal protective equipment: see Section 8

Disposal: see Section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid the formation of flammable and explosive vapour concentrations in air and avoid exceeding occupational exposure limits. Use the material only in places where naked lights, fire and other ignition sources are kept away. Electrical equipment must be protected according to the recognized standard. The material can become electrostatically charged. Provide earthing for containers, equipment, pumps and extraction units.

The wearing of antistatic clothing including footwear is recommended. Floors must be electrically conductive. Use spark-proof tools.

Avoid contact with skin, eyes and clothing. Do not inhale dust, particles or spray mist when using this preparation. Avoid inhaling sanding dust.

Personal protective equipment: see Section 8.

Always keep in containers made of the same material as the original container. Follow statutory protection and safety regulations.

Additional information

Vapours are heavier than air, spread along the ground and form explosive mixtures with air.

Advice on general industrial hygiene

Do not eat, drink or smoke when working.

Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH)
according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and containers

Storage in accordance with the Ordinance on Industrial Safety and Health. Keep container tightly closed. Access by unauthorized persons is prohibited. Floors must comply with the "Guidelines for the prevention of ignition hazards due to electrostatic charges (TRGS 727)".

Advice on storage compatibility

Keep away from strongly acidic and alkaline materials and oxidizing agents.

Storage class

LGK12 - non-combustible liquids that cannot be assigned to any of the aforementioned storage classes.

Further information on storage conditions

Observe the instructions on the label. Protect from heat and direct sunlight. No smoking. Remove all sources of ignition. Keep container tightly closed. Store containers carefully closed and upright to prevent any leakage.

7.3 Specific end use(s)

Observe the technical data sheet.

GISCODE: BSW 20 - water-based coating materials

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

CAS No.	Substance name	Source	Long-term / short-term (peak limitation)
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DFG	0.2 / (-) mg/m ³ (inhalable fraction)

Additional information

Long-term: long-term occupational exposure limit

Short-term: short-term occupational exposure limit

Biological limit values

No data available

DNEL workers

CAS No.	Substance name	DNEL type	DNEL value
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL long-term inhalation (local)	0.02 mg/m ³
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL acute inhalation (local)	0.04 mg/m ³

DNEL consumers

CAS No.	Substance name	DNEL type	DNEL value
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL long-term inhalation (local)	0.02 mg/m ³
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL long-term oral (repeated)	0.09 mg/kg
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL short-term oral (acute)	0.11 mg/kg
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	DNEL acute inhalation (local)	0.04 mg/m ³

PNEC

CAS No.	Substance name	PNEC type	PNEC value
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC sediment, marine water	0.027 mg/kg
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC soil, freshwater	0.01 mg/kg
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC water, marine water	0.003 mg/L
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC water, freshwater	0.003 mg/L
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC sewage treatment plant (STP)	0.23 mg/L
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	PNEC sediment, freshwater	0.027 mg/kg

8.2 Exposure controls

Ensure good ventilation. This can be achieved by local or room extraction. If this is not sufficient to keep the aerosol and solvent vapour concentration below the occupational exposure limits, suitable respiratory protective equipment must be worn.

Personal protective equipment

Respiratory protection

If the solvent concentration is above occupational exposure limits, suitable approved respiratory protective equipment must be worn for this purpose. The wearing time limits according to the Hazardous Substances Ordinance in conjunction with the rules for the use of respiratory protective equipment (DGUV-R 112-190) must be observed. Use only respiratory protective equipment with CE marking including four-digit test number.

Hand protection

It is recommended to clarify the chemical resistance of the protective gloves mentioned above for special applications with the glove manufacturer. The instructions and information of the protective glove manufacturer regarding use, storage, maintenance and replacement

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

must be observed. Breakthrough time of the glove material depends on thickness and duration of skin exposure.

Recommended glove types: EN ISO 374

Skin protection

Protective creams can help protect exposed areas of the skin. After contact, these must under no circumstances be used.

Eye/face protection

Safety glasses with side protection: DIN EN 166

Body protection

When handling chemical working substances, only chemical protective clothing with CE marking including four-digit test number may be worn. Wearing antistatic clothing including footwear is recommended.

Remark

After contact, clean skin thoroughly with water and soap or use a suitable cleaning agent.

Environmental exposure controls

Do not allow to enter drains or bodies of water. See Section 7. No further measures are required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Property	Value
Physical state	liquid
Colour	colourless
Odour	acrylate-like
pH value at 20.0 °C	7.5 - 8.5
Melting point/freezing point	0 °C
Initial boiling point and boiling range	100 °C
Flash point	not applicable
Flammability	not applicable
Lower explosion limit at 20°C	not applicable
Upper explosion limit at 20°C	not applicable
Vapour pressure at 20°C	not determined
Relative vapour density	not applicable
Density at 20°C	1.0 kg/l
Water solubility at 20°C	not determined
Partition coefficient n-octanol/water	see Section 12
Ignition temperature	not applicable
Decomposition temperature	not determined
Viscosity at 20°C	< 80 mm ² /s
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No specific data on reactivity are available for this product or its ingredients.

10.2 Chemical stability

Stable when the recommended regulations for storage and handling are applied. For further information on proper storage, see Section 7.

10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents in order to avoid exothermic reactions.

10.4 Conditions to avoid

Stable when the recommended regulations for storage and handling are applied. For further information on proper storage, see Section 7. At high temperatures, hazardous decomposition products may be formed.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Decomposition products in the event of fire: see Section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Based on the available data, the classification criteria are not met.

1,2-Benzisothiazol-3(2H)-one

LD50: oral (rat): = 450 mg/kg

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LD50: oral (rat): = 53 mg/kg

Skin corrosion/irritation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

Based on the available data, the classification criteria are not met.

Serious eye damage/eye irritation

Based on the available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on the available data, the classification criteria are not met.

Summary evaluation of CMR properties

Based on the available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on the available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on the available data, the classification criteria are not met.

Aspiration hazard

Based on the available data, the classification criteria are not met.

Experience from practice/in humans

Inhalation of solvent components above the occupational exposure limit can cause damage to health, such as irritation of mucous membranes and respiratory organs, damage to the liver, kidneys and central nervous system. Signs include headache, dizziness, fatigue, muscle weakness, drowsiness and, in severe cases, unconsciousness. Solvents can cause some of the aforementioned effects through skin absorption. Prolonged and repeated contact with the product leads to loss of skin fat and can cause non-allergic contact skin damage (contact dermatitis) and/or absorption of harmful substances. Splashes can cause eye irritation and reversible damage.

11.2 Information on other hazards

Endocrine-disrupting properties

This product contains no substance with endocrine-disrupting properties for humans, as no ingredient meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on the available data, the classification criteria are not met.

Algal toxicity

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

ErC50: (*Selenastrum capricornutum*): = 0.027 mg/L (72 h)

Daphnia toxicity

1,2-Benzisothiazol-3(2H)-one

EC50 = 4.4 mg/L (48 h)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

EC50 (*Daphnia magna* (water flea)): = 0.16 mg/L (48 h)

Fish toxicity

1,2-Benzisothiazol-3(2H)-one

LC50: = 10 mg/L (96 h)

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LC50: (*Oncorhynchus mykiss* (rainbow trout)): = 0.19 mg/L (96 h)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

12.6 Endocrine-disrupting properties

This product contains no substance with endocrine-disrupting properties for non-target organisms, as no ingredient meets the criteria.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal of the product/packaging

Do not allow to enter drains; waste and containers must be disposed of safely. Disposal according to Directive 2008/98/EC on waste and hazardous waste.

Waste code/waste designations according to EWC/AVV

080112 - waste paint and varnish other than those mentioned in 08 01 11

Other disposal recommendations

Non-contaminated and completely emptied packaging can be sent for recycling. Containers that have not been properly emptied are hazardous waste.

SECTION 14: Transport information

14.1 UN number or ID number

not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

14.2 UN proper shipping name

Land transport (ADR/RID)

Not dangerous goods within the meaning of these transport regulations.

Sea transport (IMDG)

Not dangerous goods within the meaning of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

Not dangerous goods within the meaning of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

Land transport (ADR/RID) not applicable

Sea transport (IMDG) not applicable

14.6 Special precautions for user

Always transport in closed, upright and secure containers. Ensure that persons transporting the product know what to do in the event of an accident or leakage.

Advice on safe handling: see Sections 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport in bulk according to the IBC Code.

14.8 Additional information

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

Air transport (ICAO-TI / IATA-DGR)

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Authorisations and/or restrictions on use

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Restriction of use according to REACH Annex XVII No.: 03, 78

Information on employment restrictions

Observe employment restrictions according to Maternity Protection Directive 92/85/EEC or stricter national provisions, where applicable.

Observe employment restrictions according to the Young Workers Directive (94/33/EC) or stricter national provisions, where applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

Regulation (EU) No. 528/2012 concerning biocides

biocidal active substance: 1,2-benzisothiazol-3(2H)-one

biocidal active substance: Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

biocidal active substance: 2-methyl-2H-isothiazol-3-one

biocidal active substance: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

biocidal active substance: formaldehyde

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso III Directive]

Hazard categories / named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

National legal regulations must also be observed!

Water hazard class

slightly hazardous to water (WGK 1)

Rules of the German Social Accident Insurance (DGUV rules)

DGUV Rule 112-190 "Use of respiratory protective equipment"

DGUV Rule 112-192 "Use of eye and face protection"

DGUV Rule 112-195 "Use of protective gloves"

15.2 Chemical safety assessment

A chemical safety assessment has been carried out for the following substances in this mixture:

REACH No.	Substance name	CAS No. EC No.
01-2120761540-60	1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9
01-2120764691-48	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 -

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



TFG10
Version 1.0

10L Deep Primer
revised on 18.02.2026

Print date 18.02.2026

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from Sections 2 to 15

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Classification of mixtures and evaluation method used according to Regulation (EC) No. 1272/2008 [CLP]

not applicable

Key literature references and sources of data

Information is taken from reference works and the literature.

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Occupational exposure limit
BGW	Biological limit values
CAS	Chemical Abstracts Service
CLP	Classification, labelling and packaging
CMR	Carcinogenic, mutagenic and/or toxic for reproduction
DIN	German Institute for Standardization / standard of the German Institute for Standardization
DNEL	Derived no-effect level
EWC/AVV	European Waste Catalogue / German Waste Catalogue Ordinance
EC	Effective concentration
EG/EC	European Community
EN	European Standard
EU/EEC	European Economic Area
IATA-DGR	International Air Transport Association - Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	Technical Instructions of the International Civil Aviation Organization (ICAO) for the safe transport of dangerous goods by air
IMDG Code	International Maritime Dangerous Goods Code
ISO	International Organization for Standardization
LC	Lethal concentration
LD	Lethal dose
MAK	Maximum workplace concentration
MARPOL	International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Co-operation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted no-effect concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
UN	United Nations
VOC	Volatile organic compounds
vPvB	very persistent and very bioaccumulative

Change notes

* Data changed compared with the previous version.

The information in this Safety Data Sheet corresponds to our current state of knowledge as well as national and EU regulations. The product must not be used for any purpose other than that specified in Section 1 without written approval. It is always the user's responsibility to take all necessary measures to comply with the requirements laid down in local rules and laws. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute a guarantee of product properties.